



Atheloca subrufella Palm Bud Moth



n=0
High Mt.



n=0
Low Mt.


High counts of:

- 1 - Carteret - 2016-09-25
- 1 - Onslow - 2020-01-14
- 1 - Onslow - 2019-10-26

● = Sighting or Collection
in NC since 2004

Status	Rank
NC	US
NC	Global

n=0
Pd



FAMILY: Pyralidae SUBFAMILY: Phycitinae TRIBE: Phycitini
TAXONOMIC_COMMENTS:

FIELD GUIDE DESCRIPTIONS:

ONLINE PHOTOS:

TECHNICAL DESCRIPTION, ADULTS:

TECHNICAL DESCRIPTION, IMMATURE STAGES:

ID COMMENTS:

DISTRIBUTION: Please refer to the dot map.

FLIGHT COMMENT: Please refer to the flight charts.

HABITAT:

FOOD: Larvae are reported to feed on Cabbage Palmetto (<i>Sabal palmetto</i>) (Heppner, 2007). In North Carolina, Cabbage Palmetto is probably only native to Bald Head Island in Brunswick County, though it has been planted in other coastal counties.

OBSERVATION_METHODS:

NATURAL HERITAGE PROGRAM RANKS:

STATE PROTECTION:

COMMENTS: