



Charadra deridens Laughter Moth



n=22
High Mt.

n=64
Low Mt.

n=66
Pd




High counts of:

8 - Ashe - 2000-05-03
8 - Alleghany - 2000-05-03
6 - Stokes - 1998-08-18

● = Sighting or Collection in NC since 2004
● = Not seen since 2004

Status Rank
NC US NC Global



FAMILY: Noctuidae SUBFAMILY: Pantheinae TRIBE:
TAXONOMIC_COMMENTS:

FIELD GUIDE DESCRIPTIONS: Covell (1984); Beadle and Leckie (2012)

ONLINE PHOTOS:

TECHNICAL DESCRIPTION, ADULTS:

TECHNICAL DESCRIPTION, IMMATURE STAGES:

ID COMMENTS:

DISTRIBUTION: Please refer to the dot map.

FLIGHT COMMENT: Please refer to the flight charts.

HABITAT: Wagner et al. (2011) list barrens, woodland, and forests as habitats used by this species. Our records span the entire range of hardwoods in North Carolina, ranging from dry-xeric maritime forests to cool mesic Northern Hardwoods on our highest peaks.

FOOD: Larvae feed primarily on Beech and Oak but have also been reported on Birch, Elm, and Maple (Wagner et al., 2011)

OBSERVATION_METHODS:

NATURAL HERITAGE PROGRAM RANKS: G5 S5

STATE PROTECTION: Has no legal protection, although permits are required to collect it on state parks and other public lands.

COMMENTS: